

Wire Screen Cloth

**SURFACE TABLES
AND
RETAIL SALES PRICES**



**New York Wire Cloth
Company**

IGOE BROTHERS
THIRTY ST. & AVENUE A
NEWARK, N. J.

TEL. TERRACE 3-3450

IGOE BROTHERS

Distributors

NEWARK, N. J.



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

NEW YORK WIRE CLOTH CO.

General Offices
342 MADISON AVENUE
NEW YORK CITY

Works
YORK, PA.




Specialists
in the Manufacture of
WIRE SCREEN CLOTH

O P A L
BRONZE
COPPER
AND
PAINTED

COE BROTHERS
CORNER ST. & AVENUE A
NEWARK, N. J.
TEL. TERRACE 3-3450

Incorporated 1892



New York Wire Cloth Co. Works—York, Pa.

TRADE MARK



Opal

REG. U.S. PAT. OFFICE

WIRE SCREEN CLOTH

OPAL

Heavily Zinc Coated

WIRE SCREEN CLOTH

Made from very best hard drawn steel wire, full gauge and perfectly woven with uniform mesh and straight lines. It has a smooth resilient surface and lies out flat when unrolled.

After weaving the fabric is heavily coated with a uniform solid layer of pure electrolytic zinc, the best known protection for steel against weather exposure. The zinc coating is applied by means of a new special process which causes the two metals to become amalgamated along all their surfaces of contact, thereby preventing any possibility of the zinc cleaving from the flexible steel wire and very greatly increasing its weather resisting properties.

The zinc coated fabric is finally covered with a transparent, flexible lacquer, the purpose of which is to prevent soiling or discoloring and to preserve the attractive White Satin Finish which is characteristic of OPAL.

There is only one OPAL Wire Screen Cloth. This is a trade name and trade mark registered in U. S. Patent Office and applies only to the special high quality, zinc coated after weaving product of the New York Wire Cloth Co.

See that the trade mark name OPAL is on the label and on the identity tag attached to end of each roll.

NEW YORK, N.Y. AND YORK, PA.



OPAL
HEAVILY ZINC COATED
White Satin Finish
LACQUERED

Standard Widths 18 to 48 inch inclusive
Regular 12, 14 and 16 Mesh.

LIBERTY

Golden Bronze

WIRE SCREEN CLOTH

Made from hard drawn bronze metal wire, composed of 90% copper and 10% non-corrosive alloy, full gauge and perfectly woven with uniform mesh and straight lines.

After weaving the fabric is covered with a transparent flexible lacquer, the purpose of which is to prevent soiling or discoloring of the beautiful bright rich gold color of the wire due to handling by dealer or screen maker and to insure a gradual change to an Egyptian type finish, which will result in a short time when placed in weather exposure. It then becomes practically invisible in window or door and furnishes least obstruction to light and air.

This high grade Liberty Golden Bronze Screen Cloth is much stronger, more resilient, as well as far superior in durability and appearance, than the ordinary fabric, often called bronze, made from plain copper wire, the latter being cheaper to produce but not as suitable for screen purposes. Care should be taken to guard against such substitutes.

NEW YORK, N.Y., AND YORK, PA.



LIBERTY

GOLDEN BRONZE

Bright Rich Gold Finish

LACQUERED

Standard Widths 18 to 48 inch inclusive

Regular 14 and 16 Mesh

LIBERTY

Antique Bronze

WIRE SCREEN CLOTH

Made from hard drawn bronze metal wire, composed of 90% copper and 10% non-corrosive alloy, full gauge and perfectly woven with uniform mesh and straight lines.

After weaving the fabric is covered with a transparent flexible lacquer, the purpose of which is to prevent soiling or discoloring of the beautiful dark rich antique color of the wire due to handling by dealer or screen maker. At all times it is practically invisible in window or door and furnishes least obstruction to light and air.

This high grade Liberty Antique Bronze Screen Cloth is much stronger, more resilient as well as far superior in durability and appearance, than the ordinary fabric, often called bronze, made from plain copper wire, the latter being cheaper to produce but not as suitable for screen purposes. Care should be taken to guard against such substitutes.

NEW YORK, N.Y., AND YORK, PA.



LIBERTY
ANTIQUE BRONZE
Dark Rich Antique Finish
LACQUERED

Standard Widths 18 to 48 inch inclusive
Regular 14 and 16 Mesh

Bright
COPPER

WIRE SCREEN CLOTH

Made from hard drawn pure (99.8%) copper wire, full gauge and perfectly woven with uniform mesh and straight lines.

After weaving the fabric is covered with a transparent flexible lacquer, the purpose of which is to prevent soiling or discoloring of the natural bright copper color of the wire due to handling by dealer or screen maker. However, after a short time in weather exposure, the copper color will become changed to a dark antique finish.

In order to supply the limited demand for a screen cloth of somewhat lower cost than bronze, this fabric made from pure (99.8%) copper wire is offered. On account of the nature of copper metal, no screen cloth made from it can be expected to have the high tensile strength nor the stiffness, resiliency and durability in weather exposure characteristic of high grade bronze, such as the Liberty brand, which is recommended in preference to any product made from plain copper wire.

NEW YORK, N.Y., AND YORK, PA.



COPPER

SCREEN CLOTH

Bright Copper Finish

LACQUERED

Standard Widths 18 to 48 inch inclusive

Regular 14 and 16 Mesh

YORK BRAND

Painted

WIRE SCREEN CLOTH

Made from very best hard drawn steel wire, full gauge and perfectly woven with uniform mesh and straight lines. It has a firm, smooth, resilient surface and lies out straight and flat when unrolled.

After weaving the steel fabric is uniformly covered with a heavy, adhesive, flexible and brilliant coating of jet black enamel, which is produced in our own paint factory from special oils and pigments most suitable for the purpose, properly combined and applied. Forty years of leadership have served to prove that YORK brand painted screen cloth is always superior.

NEW YORK, N.Y., AND YORK, PA.



YORK BRAND

PAINTED

Black Enamel Finish

Standard Widths 18 to 48 inch inclusive

Regular 12, 14 and 16 Mesh

SURFACE TABLES
and
RETAIL SALES PRICES FOR
WIRE SCREEN CLOTH

On the following pages schedules will be found giving the surface area and amounts at various prices per square foot for various lengths in all standard widths, 18 to 48 inch inclusive.

For amounts at higher rate than given in the schedules, use suitable combinations. For example, at rate of 7¢ per sq. ft. combine the amounts given at 3¢ and 4¢ rates. At rate of 8¢ per sq. ft. double the figures given at 4¢ rate.

To find price of a length not given by itself in the schedules—as for example, 27 ft. 9 in.—add together the figures given for the separate lengths 20 ft., 7 ft. and 9 in.

Fractions of a cent less than half are not counted; half and over counted as one.

Preserve and Use This Price List
Save Time and Avoid Errors

A copy of this booklet will be sent to any dealer in screen cloth on request. Address

NEW YORK WIRE CLOTH CO.,
342 Madison Ave., New York City

18 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	¼	.01	.01	.01	.01	.01	.01	.02
3 "	⅜	.01	.01	.01	.01	.02	.02	.02
4 "	½	.01	.01	.02	.02	.02	.03	.03
5 "	⅝	.01	.02	.02	.02	.03	.03	.04
6 "	¾	.02	.02	.02	.03	.03	.04	.05
7 in.	⅞	.02	.02	.03	.03	.04	.04	.05
8 "	1	.02	.03	.03	.04	.04	.05	.06
9 "	1⅛	.02	.03	.03	.04	.05	.06	.07
10 "	1¼	.03	.03	.04	.04	.05	.06	.08
11 "	1⅜	.03	.03	.04	.05	.06	.07	.08
1 ft.	1½	.03	.04	.05	.05	.06	.08	.09
2 "	3	.06	.08	.09	.11	.12	.15	.18
3 "	4½	.09	.11	.14	.16	.18	.23	.27
4 "	6	.12	.15	.18	.21	.24	.30	.36
5 "	7½	.15	.19	.23	.26	.30	.38	.45
6 ft.	9	.18	.23	.27	.31	.36	.45	.54
7 "	10½	.21	.26	.32	.37	.42	.53	.63
8 "	12	.24	.30	.36	.42	.48	.60	.72
9 "	13½	.27	.34	.41	.47	.54	.68	.81
10 "	15	.30	.38	.45	.53	.60	.75	.90
20 ft.	30	.60	.75	.90	1.05	1.20	1.50	1.80
30 "	45	.90	1.13	1.35	1.58	1.80	2.25	2.70
40 "	60	1.20	1.50	1.80	2.10	2.40	3.00	3.60
50 "	75	1.50	1.88	2.25	2.63	3.00	3.75	4.50
100 "	150	3.00	3.75	4.50	5.25	6.00	7.50	9.00

20 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	1⅓	.01	.01	.01	.01	.01	.02	.02
3 "	5⅓	.01	.01	.01	.01	.02	.02	.03
4 "	7⅓	.01	.01	.02	.02	.02	.03	.04
5 "	2⅓	.01	.02	.02	.02	.03	.03	.04
6 "	5⅓	.02	.02	.03	.03	.03	.04	.05
7 in.	1	.02	.03	.03	.04	.04	.05	.06
8 "	1⅓	.02	.03	.03	.04	.05	.06	.07
9 "	1¼	.03	.03	.04	.04	.05	.06	.08
10 "	1⅓	.03	.03	.04	.05	.05	.07	.08
11 "	1½	.03	.04	.05	.05	.06	.08	.09
1 ft.	1⅔	.03	.04	.05	.06	.07	.08	.10
2 "	3⅓	.07	.08	.10	.12	.13	.17	.20
3 "	5	.10	.13	.15	.18	.20	.25	.30
4 "	6⅔	.13	.17	.20	.23	.27	.33	.40
5 "	8⅓	.17	.21	.25	.29	.33	.42	.50
6 ft.	10	.20	.25	.30	.35	.40	.50	.60
7 "	11⅔	.23	.29	.35	.41	.47	.58	.70
8 "	13⅓	.27	.33	.40	.47	.53	.67	.80
9 "	15	.30	.38	.45	.53	.60	.75	.90
10 "	16⅔	.33	.42	.50	.58	.67	.83	1.00
20 ft.	33⅓	.67	.83	1.00	1.17	1.33	1.67	2.00
30 "	50	1.00	1.25	1.50	1.75	2.00	2.50	3.00
40 "	66⅔	1.33	1.67	2.00	2.33	2.67	3.33	4.00
50 "	83⅓	1.67	2.08	2.50	2.92	3.33	4.17	5.00
100 "	166⅔	3.33	4.17	5.00	5.83	6.67	8.33	10.00

22 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	1/3	.01	.01	.01	.01	.01	.02	.02
3 "	1/2	.01	.01	.02	.02	.02	.03	.03
4 "	2/3	.01	.02	.02	.02	.03	.03	.04
5 "	3/4	.02	.02	.02	.03	.03	.04	.05
6 "	1 1/12	.02	.02	.03	.03	.04	.05	.06
7 in.	1 1/12	.02	.03	.03	.04	.04	.05	.07
8 "	1 1/4	.03	.03	.04	.04	.05	.06	.08
9 "	1 3/8	.03	.03	.04	.05	.06	.07	.08
10 "	1 1/2	.03	.04	.05	.05	.06	.08	.09
11 "	1 2/3	.03	.04	.05	.06	.07	.08	.10
1 ft.	1 5/6	.04	.05	.06	.06	.07	.09	.11
2 "	3 2/3	.07	.09	.11	.13	.15	.18	.22
3 "	5 1/2	.11	.14	.17	.18	.22	.28	.33
4 "	7 1/3	.15	.18	.22	.26	.29	.37	.44
5 "	9 1/6	.18	.23	.28	.32	.37	.46	.55
6 ft.	11	.22	.28	.33	.39	.44	.55	.66
7 "	12 5/6	.26	.32	.39	.45	.51	.64	.77
8 "	14 2/3	.29	.37	.44	.51	.59	.73	.88
9 "	16 1/2	.33	.41	.50	.58	.66	.83	.99
10 "	18 1/3	.37	.46	.55	.64	.73	.92	1.10
20 ft.	36 2/3	.73	.92	1.10	1.28	1.47	1.83	2.20
30 "	55	1.10	1.38	1.65	1.93	2.20	2.75	3.30
40 "	73 1/3	1.47	1.83	2.20	2.57	2.93	3.67	4.40
50 "	91 2/3	1.83	2.29	2.75	3.21	3.67	4.58	5.50
100 "	183 1/3	3.67	4.58	5.50	6.41	7.33	9.17	11.00

24 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	⅓	.01	.01	.01	.01	.01	.02	.02
3 "	½	.01	.01	.02	.02	.02	.03	.03
4 "	⅔	.01	.02	.02	.02	.03	.03	.04
5 "	⅝	.02	.02	.03	.03	.03	.04	.05
6 "	1	.02	.03	.03	.04	.04	.05	.06
7 in.	1⅓	.02	.03	.04	.04	.05	.06	.07
8 "	1½	.03	.03	.04	.05	.05	.07	.08
9 "	1⅔	.03	.04	.05	.05	.06	.08	.09
10 "	1⅚	.03	.04	.05	.06	.06	.08	.10
11 "	1⅞	.04	.05	.06	.06	.07	.09	.11
1 ft.	2	.04	.05	.06	.07	.08	.10	.12
2 "	4	.08	.10	.12	.14	.16	.20	.24
3 "	6	.12	.15	.18	.21	.24	.30	.36
4 "	8	.16	.20	.24	.28	.32	.40	.48
5 "	10	.20	.25	.30	.35	.40	.50	.60
6 ft.	12	.24	.30	.36	.42	.48	.60	.72
7 "	14	.28	.35	.42	.49	.56	.70	.84
8 "	16	.32	.40	.48	.56	.64	.80	.96
9 "	18	.36	.45	.54	.63	.72	.90	1.08
10 "	20	.40	.50	.60	.70	.80	1.00	1.20
20 ft.	40	.80	1.00	1.20	1.40	1.60	2.00	2.40
30 "	60	1.20	1.50	1.80	2.10	2.40	3.00	3.60
40 "	80	1.60	2.00	2.40	2.80	3.20	4.00	4.80
50 "	100	2.00	2.50	3.00	3.50	4.00	5.00	6.00
100 "	200	4.00	5.00	6.00	7.00	8.00	10.00	12.00

26 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	$\frac{3}{8}$	.01	.01	.01	.01	.02	.02	.02
3 "	$\frac{7}{12}$	.01	.01	.02	.02	.02	.03	.04
4 "	$\frac{3}{4}$	.02	.02	.02	.03	.03	.04	.05
5 "	$1\frac{1}{12}$	.02	.02	.03	.03	.04	.05	.06
6 "	$1\frac{1}{2}$	.02	.03	.03	.04	.04	.05	.07
7 in.	$1\frac{1}{4}$	.03	.03	.04	.04	.05	.06	.08
8 "	$1\frac{5}{12}$	.03	.04	.04	.05	.06	.07	.09
9 "	$1\frac{5}{8}$	.03	.04	.05	.06	.07	.08	.10
10 "	$1\frac{5}{6}$	.04	.05	.06	.06	.07	.09	.11
11 "	2	.04	.05	.06	.07	.08	.10	.12
1 ft.	$2\frac{1}{6}$	.04	.05	.07	.08	.09	.11	.13
2 "	$4\frac{1}{3}$	.09	.11	.13	.15	.17	.22	.26
3 "	$6\frac{1}{2}$	.13	.16	.20	.23	.26	.33	.39
4 "	$8\frac{2}{3}$	.17	.22	.26	.30	.35	.43	.52
5 "	$10\frac{5}{6}$	.22	.27	.33	.38	.43	.54	.65
6 ft.	13	.26	.33	.39	.46	.52	.65	.78
7 "	$15\frac{1}{6}$	.30	.38	.46	.53	.61	.76	.91
8 "	$17\frac{1}{3}$	.35	.43	.52	.61	.69	.87	1.04
9 "	$19\frac{1}{2}$	.39	.49	.59	.68	.78	.98	1.17
10 "	$21\frac{2}{3}$	.43	.54	.65	.76	.87	1.08	1.30
20 ft.	$43\frac{1}{3}$	.87	1.08	1.30	1.52	1.73	2.17	2.60
30 "	65	1.30	1.63	1.95	2.28	2.60	3.25	3.90
40 "	$86\frac{2}{3}$	1.73	2.17	2.60	3.03	3.47	4.33	5.20
50 "	$108\frac{1}{3}$	2.17	2.71	3.25	3.79	4.33	5.42	6.50
100 "	$216\frac{2}{3}$	4.33	5.42	6.50	7.58	8.67	10.83	13.00

28 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	¾	.01	.01	.01	.01	.02	.02	.02
3 "	⅞	.01	.01	.02	.02	.02	.03	.04
4 "	1	.02	.02	.02	.03	.03	.04	.05
5 "	1 ⅛	.02	.03	.03	.04	.04	.05	.06
6 "	1 ¼	.02	.03	.04	.04	.05	.06	.07
7 in.	1 ⅝	.03	.03	.04	.05	.06	.07	.08
8 "	1 ¾	.03	.04	.05	.06	.06	.08	.10
9 "	1 ⅞	.04	.04	.05	.06	.07	.09	.11
10 "	2	.04	.05	.06	.07	.08	.10	.12
11 "	2 ⅛	.04	.05	.06	.07	.09	.11	.13
1 ft.	2 ¼	.05	.06	.07	.08	.09	.12	.14
2 "	2 ½	.09	.12	.14	.16	.19	.23	.28
3 "	3	.14	.18	.21	.25	.28	.35	.42
4 "	3 ½	.19	.23	.28	.33	.37	.47	.56
5 "	4	.23	.29	.35	.41	.47	.58	.70
6 ft.	4 ⅔	.28	.35	.42	.49	.56	.70	.84
7 "	5	.33	.41	.49	.57	.65	.82	.98
8 "	5 ⅔	.37	.47	.56	.65	.75	.93	1.12
9 "	6	.42	.53	.63	.74	.84	1.05	1.26
10 "	6 ⅔	.47	.58	.70	.82	.93	1.17	1.40
20 ft.	13 ⅔	.93	1.17	1.40	1.63	1.87	2.33	2.80
30 "	21	1.40	1.75	2.10	2.45	2.80	3.50	4.20
40 "	28 ⅓	1.87	2.33	2.80	3.27	3.73	4.67	5.60
50 "	35 ⅓	2.33	2.92	3.50	4.08	4.67	5.83	7.00
100 "	70 ⅓	4.67	5.83	7.00	8.17	9.33	11.67	14.00

30 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	⅝ ₁₂	.01	.01	.01	.01	.02	.02	.03
3 "	⅝ ₈	.01	.02	.02	.02	.03	.03	.04
4 "	⅝ ₆	.02	.02	.03	.03	.03	.04	.05
5 "	1⅞ ₁₂	.02	.03	.03	.04	.04	.05	.07
6 "	1⅞ ₄	.03	.03	.04	.04	.05	.06	.08
7 in.	1⅞ ₂	.03	.04	.05	.05	.06	.08	.09
8 "	1⅞ ₃	.03	.04	.05	.06	.07	.08	.10
9 "	1⅞ ₈	.04	.05	.06	.07	.08	.09	.11
10 "	2⅞ ₁₂	.04	.05	.06	.07	.08	.10	.13
11 "	2⅞ ₃	.05	.06	.07	.08	.09	.12	.14
1 ft.	2⅞ ₂	.05	.06	.08	.09	.10	.13	.15
2 "	5	.10	.13	.15	.18	.20	.25	.30
3 "	7⅞ ₂	.15	.19	.23	.26	.30	.38	.45
4 "	10	.20	.25	.30	.35	.40	.50	.60
5 "	12⅞ ₂	.25	.31	.38	.44	.50	.63	.75
6 ft.	15	.30	.38	.45	.53	.60	.75	.90
7 "	17⅞ ₂	.35	.44	.53	.61	.70	.88	1.05
8 "	20	.40	.50	.60	.70	.80	1.00	1.20
9 "	22⅞ ₂	.45	.56	.68	.79	.90	1.13	1.35
10 "	25	.50	.63	.75	.88	1.00	1.25	1.50
20 ft.	50	1.00	1.25	1.50	1.75	2.00	2.50	3.00
30 "	75	1.50	1.88	2.25	2.63	3.00	3.75	4.50
40 "	100	2.00	2.50	3.00	3.50	4.00	5.00	6.00
50 "	125	2.50	3.13	3.75	4.38	5.00	6.25	7.50
100 "	250	5.00	6.25	7.50	8.75	10.00	12.50	15.00

32 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	5/12	.01	.01	.01	.01	.02	.02	.03
3 "	2/3	.01	.02	.02	.02	.03	.03	.04
4 "	7/8	.02	.02	.03	.03	.04	.04	.05
5 "	11/8	.02	.03	.03	.04	.05	.06	.07
6 "	11/3	.03	.03	.04	.05	.05	.07	.08
7 in.	17/12	.03	.04	.05	.06	.06	.08	.10
8 "	13/4	.04	.04	.05	.06	.07	.09	.11
9 "	2	.04	.05	.06	.07	.08	.10	.12
10 "	21/4	.05	.06	.07	.08	.09	.11	.14
11 "	25/12	.05	.06	.07	.08	.10	.12	.15
1 ft.	22/3	.06	.07	.08	.09	.11	.13	.16
2 "	51/3	.11	.13	.16	.19	.21	.27	.32
3 "	8	.16	.20	.24	.28	.32	.40	.48
4 "	102/3	.21	.27	.32	.37	.43	.53	.64
5 "	131/3	.27	.33	.40	.47	.53	.67	.80
6 ft.	16	.32	.40	.48	.56	.64	.80	.96
7 "	182/3	.37	.47	.56	.65	.75	.93	1.12
8 "	211/3	.43	.53	.64	.76	.85	1.07	1.28
9 "	24	.48	.60	.72	.84	.96	1.20	1.44
10 "	262/3	.53	.67	.80	.93	1.07	1.33	1.60
20 ft.	531/3	1.07	1.33	1.60	1.87	2.13	2.67	3.20
30 "	80	1.60	2.00	2.40	2.80	3.20	4.00	4.80
40 "	1062/3	2.13	2.67	3.20	3.73	4.27	5.33	6.40
50 "	1331/3	2.67	3.33	4.00	4.67	5.33	6.67	8.00
100 "	2662/3	5.33	6.67	8.00	9.33	10.67	13.33	16.00

34 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	½	.01	.01	.02	.02	.02	.03	.03
3 "	¾	.02	.02	.02	.03	.03	.04	.05
4 "	1½	.02	.02	.03	.03	.04	.05	.06
5 "	1⅙	.02	.03	.04	.04	.05	.06	.07
6 "	1½	.03	.04	.04	.05	.06	.07	.09
7 in.	1⅔	.03	.04	.05	.06	.07	.08	.10
8 "	1⅞	.04	.05	.06	.07	.08	.09	.11
9 "	2⅛	.04	.05	.06	.07	.09	.11	.13
10 "	2⅜	.05	.06	.07	.08	.10	.12	.14
11 "	2½	.05	.06	.08	.09	.10	.13	.16
1 ft.	2⅝	.06	.07	.09	.10	.11	.14	.17
2 "	5⅔	.11	.14	.17	.20	.23	.28	.34
3 "	8½	.17	.21	.26	.30	.34	.43	.51
4 "	11⅓	.23	.28	.34	.40	.45	.57	.68
5 "	14⅓	.28	.35	.43	.50	.57	.71	.85
6 ft.	17	.34	.43	.51	.60	.68	.85	1.02
7 "	19⅝	.40	.50	.60	.69	.79	.99	1.19
8 "	22⅔	.45	.57	.68	.79	.91	1.13	1.36
9 "	25½	.51	.64	.77	.89	1.02	1.28	1.53
10 "	28⅓	.57	.71	.85	.99	1.13	1.42	1.70
20 ft.	56⅔	1.13	1.42	1.70	1.98	2.27	2.83	3.40
30 "	85	1.70	2.13	2.55	2.98	3.40	4.25	5.10
40 "	113⅓	2.27	2.83	3.40	3.97	4.53	5.67	6.80
50 "	141⅔	2.83	3.54	4.25	4.96	5.67	7.08	8.50
100 "	283⅓	5.67	7.08	8.50	9.92	11.33	14.17	17.00

36 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	1½	.01	.01	.02	.02	.02	.03	.03
3 "	¾	.02	.02	.02	.03	.03	.04	.05
4 "	1	.02	.03	.03	.04	.04	.05	.06
5 "	1¼	.03	.03	.04	.04	.05	.06	.08
6 "	1½	.03	.04	.05	.05	.06	.08	.09
7 in.	1¾	.04	.04	.05	.06	.07	.09	.11
8 "	2	.04	.05	.06	.07	.08	.10	.12
9 "	2¼	.05	.06	.07	.08	.09	.11	.14
10 "	2½	.05	.06	.08	.09	.10	.13	.15
11 "	2¾	.06	.07	.08	.10	.11	.14	.17
1 ft.	3	.06	.08	.09	.11	.12	.15	.18
2 "	6	.12	.15	.18	.21	.24	.30	.36
3 "	9	.18	.23	.27	.32	.36	.45	.54
4 "	12	.24	.30	.36	.42	.48	.60	.72
5 "	15	.30	.38	.45	.53	.60	.75	.90
6 ft.	18	.36	.45	.54	.63	.72	.90	1.08
7 "	21	.42	.53	.63	.74	.84	1.05	1.26
8 "	24	.48	.60	.72	.84	.96	1.20	1.44
9 "	27	.54	.68	.81	.95	1.08	1.35	1.62
10 "	30	.60	.75	.90	1.05	1.20	1.50	1.80
20 ft.	60	1.20	1.50	1.80	2.10	2.40	3.00	3.60
30 "	90	1.80	2.25	2.70	3.15	3.60	4.50	5.40
40 "	120	2.40	3.00	3.60	4.20	4.80	6.00	7.20
50 "	150	3.00	3.75	4.50	5.25	6.00	7.50	9.00
100 "	300	6.00	7.50	9.00	10.50	12.00	15.00	18.00

38 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	½	.01	.01	.02	.02	.02	.03	.03
3 "	⅝	.02	.02	.03	.03	.03	.04	.05
4 "	1¼ ₁₂	.02	.03	.03	.04	.04	.05	.07
5 "	1⅓	.03	.03	.04	.05	.05	.07	.08
6 "	1⅞	.03	.04	.05	.06	.06	.08	.10
7 in.	1⅝	.04	.05	.06	.06	.07	.09	.11
8 "	2⅛	.04	.05	.06	.07	.09	.11	.13
9 "	2⅜	.05	.06	.07	.08	.10	.12	.14
10 "	2⅝	.05	.07	.08	.09	.11	.13	.16
11 "	2⅞	.06	.07	.09	.10	.12	.15	.18
1 ft.	3⅓	.06	.08	.10	.11	.13	.16	.19
2 "	6⅓	.13	.16	.19	.22	.25	.32	.38
3 "	9½	.19	.24	.29	.33	.38	.48	.57
4 "	12⅔	.25	.32	.38	.44	.51	.63	.76
5 "	15⅝	.32	.40	.48	.55	.63	.79	.95
6 ft.	19	.38	.48	.57	.67	.76	.95	1.14
7 "	22⅓	.44	.55	.67	.78	.89	1.11	1.33
8 "	25⅓	.51	.63	.76	.89	1.01	1.27	1.52
9 "	28½	.57	.71	.86	1.00	1.14	1.43	1.71
10 "	31⅔	.63	.79	.95	1.11	1.27	1.58	1.90
20 ft.	63⅓	1.27	1.58	1.90	2.22	2.53	3.17	3.80
30 "	95	1.90	2.38	2.85	3.33	3.80	4.75	5.70
40 "	126⅔	2.53	3.17	3.80	4.43	5.07	6.33	7.60
50 "	158⅓	3.17	3.96	4.75	5.54	6.33	7.92	9.50
100 "	316⅔	6.33	7.92	9.50	11.08	12.67	15.83	19.00

40 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	7/12	.01	.01	.02	.02	.02	.03	.04
3 "	5/6	.02	.02	.03	.03	.03	.04	.05
4 "	1 1/8	.02	.03	.03	.04	.05	.06	.07
5 "	1 3/8	.03	.03	.04	.05	.06	.07	.08
6 "	1 2/3	.03	.04	.05	.06	.07	.08	.10
7 in.	1 11/12	.04	.05	.06	.07	.08	.10	.12
8 "	2 1/4	.05	.06	.07	.08	.09	.11	.14
9 "	2 1/2	.05	.06	.08	.09	.10	.13	.15
10 "	2 3/4	.06	.07	.08	.10	.11	.14	.17
11 "	3 1/12	.06	.08	.09	.11	.12	.15	.19
1 ft.	3 1/3	.07	.08	.10	.12	.13	.17	.20
2 "	6 2/3	.13	.17	.20	.23	.27	.33	.40
3 "	10	.20	.25	.30	.35	.40	.50	.60
4 "	13 1/3	.27	.33	.40	.47	.53	.67	.80
5 "	16 2/3	.33	.42	.50	.58	.67	.83	1.00
6 ft.	20	.40	.50	.60	.70	.80	1.00	1.20
7 "	23 1/3	.47	.58	.70	.82	.93	1.17	1.40
8 "	26 2/3	.53	.67	.80	.93	1.07	1.33	1.60
9 "	30	.60	.75	.90	1.05	1.20	1.50	1.80
10 "	33 1/3	.67	.83	1.00	1.17	1.33	1.67	2.00
20 ft.	66 2/3	1.33	1.67	2.00	2.33	2.67	3.33	4.00
30 "	100	2.00	2.50	3.00	3.50	4.00	5.00	6.00
40 "	133 1/3	2.67	3.33	4.00	4.67	5.33	6.67	8.00
50 "	166 2/3	3.33	4.17	5.00	5.88	6.67	8.33	10.00
100 "	333 1/3	6.67	8.33	10.00	11.67	13.33	16.67	20.00

42 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	7/12	.01	.01	.02	.02	.02	.03	.04
3 "	7/8	.02	.02	.03	.03	.04	.04	.05
4 "	11/6	.02	.03	.04	.04	.05	.06	.07
5 "	1½	.03	.04	.05	.05	.06	.08	.09
6 "	1¾	.04	.04	.05	.06	.07	.09	.11
7 in.	2½	.04	.05	.06	.07	.08	.10	.13
8 "	2⅓	.05	.06	.07	.08	.09	.12	.14
9 "	2⅝	.05	.07	.08	.09	.11	.13	.16
10 "	2⅞	.06	.07	.09	.10	.12	.15	.18
11 "	3¼	.07	.08	.10	.11	.13	.16	.20
1 ft.	3½	.07	.09	.11	.12	.14	.18	.21
2 "	7	.14	.18	.21	.25	.28	.35	.42
3 "	10½	.21	.26	.32	.37	.42	.53	.63
4 "	14	.28	.35	.42	.49	.64	.70	.84
5 "	17½	.35	.44	.53	.61	.70	.88	1.05
6 ft.	21	.42	.53	.63	.74	.84	1.05	1.26
7 "	24½	.49	.61	.74	.86	.98	1.23	1.47
8 "	28	.56	.70	.84	.98	1.12	1.40	1.68
9 "	31½	.63	.79	.95	1.10	1.26	1.58	1.89
10 "	35	.70	.88	1.05	1.23	1.40	1.75	2.10
20 ft.	70	1.40	1.75	2.10	2.45	2.80	3.50	4.20
30 "	105	2.10	2.63	3.15	3.68	4.20	5.25	6.30
40 "	140	2.80	3.50	4.20	4.90	5.60	7.00	8.40
50 "	175	3.50	4.38	5.25	6.13	7.00	8.75	10.50
100 "	350	7.00	8.75	10.50	12.25	14.00	17.50	21.00

44 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	5/8	.01	.02	.02	.02	.03	.03	.04
3 "	1 1/2	.02	.02	.03	.03	.04	.05	.06
4 "	1 1/4	.03	.03	.04	.04	.05	.06	.08
5 "	1 1/2	.03	.04	.05	.05	.06	.08	.09
6 "	1 5/6	.04	.05	.06	.06	.07	.09	.11
7 in.	2 1/8	.04	.05	.06	.07	.09	.11	.13
8 "	2 5/12	.05	.06	.07	.08	.10	.12	.15
9 "	2 3/4	.06	.07	.08	.10	.11	.14	.17
10 "	3 1/12	.06	.08	.09	.11	.12	.15	.19
11 "	3 3/8	.07	.08	.10	.12	.14	.17	.20
1 ft.	3 2/3	.07	.09	.11	.13	.15	.18	.22
2 "	7 1/3	.15	.18	.22	.26	.29	.37	.44
3 "	11	.22	.28	.33	.39	.44	.55	.66
4 "	14 2/3	.29	.37	.44	.51	.59	.73	.88
5 "	18 1/3	.37	.46	.55	.64	.73	.92	1.10
6 ft.	22	.44	.55	.66	.77	.88	1.10	1.32
7 "	25 2/3	.51	.64	.77	.90	1.03	1.28	1.54
8 "	29 1/3	.59	.73	.88	1.03	1.17	1.47	1.76
9 "	33	.66	.83	.99	1.16	1.32	1.65	1.98
10 "	36 2/3	.73	.92	1.10	1.28	1.47	1.83	2.20
20 ft.	73 1/3	1.47	1.83	2.20	2.57	2.93	3.67	4.40
30 "	110	2.20	2.75	3.30	3.85	4.40	5.50	6.60
40 "	146 2/3	2.93	3.67	4.40	5.13	5.87	7.33	8.80
50 "	183 1/3	3.67	4.58	5.50	6.42	7.33	9.17	11.00
100 "	366 2/3	7.33	9.17	11.00	12.83	14.67	18.33	22.00

46 Inch Width

Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	2/3	.01	.02	.02	.02	.03	.03	.04
3 "	1	.02	.03	.03	.04	.04	.05	.06
4 "	1 1/3	.03	.03	.04	.05	.05	.07	.08
5 "	1 7/12	.03	.04	.05	.06	.06	.08	.10
6 "	1 11/12	.04	.05	.06	.07	.08	.10	.12
7 in.	2 1/4	.05	.06	.07	.08	.09	.11	.14
8 "	2 1/2	.05	.06	.08	.09	.10	.13	.15
9 "	2 7/8	.06	.07	.09	.10	.11	.14	.17
10 "	3 1/6	.06	.08	.10	.11	.13	.16	.19
11 "	3 1/2	.07	.09	.11	.12	.14	.18	.21
1 ft.	3 5/6	.08	.10	.12	.13	.15	.19	.23
2 "	7 2/3	.15	.19	.23	.27	.31	.38	.46
3 "	11 1/2	.23	.29	.35	.40	.46	.58	.69
4 "	15 1/3	.31	.38	.46	.54	.61	.77	.92
5 "	19 1/6	.38	.48	.58	.67	.77	.96	1.15
6 ft.	23	.46	.58	.69	.81	.92	1.15	1.38
7 "	26 5/6	.54	.67	.81	.94	1.07	1.34	1.61
8 "	30 2/3	.61	.77	.92	1.07	1.23	1.53	1.84
9 "	34 1/2	.69	.86	1.04	1.21	1.38	1.73	2.07
10 "	38 1/3	.77	.96	1.15	1.34	1.53	1.92	2.30
20 ft.	76 2/3	1.53	1.92	2.30	2.68	3.07	3.83	4.60
30 "	115	2.30	2.88	3.45	4.03	4.60	5.75	6.90
40 "	153 1/3	3.07	3.83	4.60	5.37	6.13	7.67	9.20
50 "	191 2/3	3.83	4.79	5.75	6.71	7.67	9.58	11.50
100 "	383 1/3	7.67	9.58	11.50	13.42	15.33	19.17	23.00

48 Inch Width


Length	Sq. Ft.	Amounts at (per sq. ft.)						
		2c	2½c	3c	3½c	4c	5c	6c
2 in.	2/3	.01	.02	.02	.02	.03	.03	.04
3 "	1	.02	.03	.03	.04	.04	.05	.06
4 "	1 1/3	.03	.03	.04	.05	.05	.07	.08
5 "	1 2/3	.03	.04	.05	.06	.07	.08	.10
6 "	2	.04	.05	.06	.07	.08	.10	.12
7 in.	2 1/3	.05	.06	.07	.08	.09	.12	.14
8 "	2 2/3	.05	.07	.08	.09	.11	.13	.16
9 "	3	.06	.08	.09	.11	.12	.15	.18
10 "	3 1/3	.07	.08	.10	.12	.13	.17	.20
11 "	3 2/3	.07	.09	.11	.13	.15	.18	.22
1 ft.	4	.08	.10	.12	.14	.16	.20	.24
2 "	8	.16	.20	.24	.28	.32	.40	.48
3 "	12	.24	.30	.36	.42	.48	.60	.72
4 "	16	.32	.40	.48	.56	.64	.80	.96
5 "	20	.40	.50	.60	.70	.80	1.00	1.20
6 ft.	24	.48	.60	.72	.84	.96	1.20	1.44
7 "	28	.56	.70	.84	.98	1.12	1.40	1.68
8 "	32	.64	.80	.96	1.12	1.28	1.60	1.92
9 "	36	.72	.90	1.08	1.26	1.44	1.80	2.16
10 "	40	.80	1.00	1.20	1.40	1.60	2.00	2.40
20 ft.	80	1.60	2.00	2.40	2.80	3.20	4.00	4.80
30 "	120	2.40	3.00	3.60	4.20	4.80	6.00	7.20
40 "	160	3.20	4.00	4.80	5.60	6.40	8.00	9.60
50 "	200	4.00	5.00	6.00	7.00	8.00	10.00	12.00
100 "	400	8.00	10.00	12.00	14.00	16.00	20.00	24.00

SQUARE FEET IN ROLLS OF 100 LIN. FT.


NO. ROLLS	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48
1	150	166 $\frac{2}{3}$	183 $\frac{1}{3}$	200	216 $\frac{2}{3}$	233 $\frac{1}{3}$	250	266 $\frac{2}{3}$	283 $\frac{1}{3}$	300	316 $\frac{2}{3}$	333 $\frac{1}{3}$	350	366 $\frac{2}{3}$	383 $\frac{1}{3}$	400
2	300	333 $\frac{1}{3}$	366 $\frac{2}{3}$	400	433 $\frac{1}{3}$	466 $\frac{2}{3}$	500	533 $\frac{1}{3}$	566 $\frac{2}{3}$	600	633 $\frac{1}{3}$	666 $\frac{2}{3}$	700	733 $\frac{1}{3}$	766 $\frac{2}{3}$	800
3	450	500	550	600	650	700	750	800	850	900	950	1000	1050	1100	1150	1200
4	600	666 $\frac{2}{3}$	733 $\frac{1}{3}$	800	866 $\frac{2}{3}$	933 $\frac{1}{3}$	1000	1066 $\frac{2}{3}$	1133 $\frac{1}{3}$	1200	1266 $\frac{2}{3}$	1333 $\frac{1}{3}$	1400	1466 $\frac{2}{3}$	1533 $\frac{1}{3}$	1600
5	750	833 $\frac{1}{3}$	916 $\frac{2}{3}$	1000	1083 $\frac{1}{3}$	1166 $\frac{2}{3}$	1250	1333 $\frac{1}{3}$	1416 $\frac{2}{3}$	1500	1583 $\frac{1}{3}$	1666 $\frac{2}{3}$	1750	1833 $\frac{1}{3}$	1916 $\frac{2}{3}$	2000
6	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
7	1050	1166 $\frac{2}{3}$	1283 $\frac{1}{3}$	1400	1516 $\frac{2}{3}$	1633 $\frac{1}{3}$	1750	1866 $\frac{2}{3}$	1983 $\frac{1}{3}$	2100	2216 $\frac{2}{3}$	2333 $\frac{1}{3}$	2450	2566 $\frac{2}{3}$	2683 $\frac{1}{3}$	2800
8	1200	1333 $\frac{1}{3}$	1466 $\frac{2}{3}$	1600	1733 $\frac{1}{3}$	1866 $\frac{2}{3}$	2000	2133 $\frac{1}{3}$	2266 $\frac{2}{3}$	2400	2533 $\frac{1}{3}$	2666 $\frac{2}{3}$	2800	2933 $\frac{1}{3}$	3066 $\frac{2}{3}$	3200
9	1350	1500	1650	1800	1950	2100	2250	2400	2550	2700	2850	3000	3150	3300	3450	3600
10	1500	1666 $\frac{2}{3}$	1833 $\frac{1}{3}$	2000	2166 $\frac{2}{3}$	2333 $\frac{1}{3}$	2500	2666 $\frac{2}{3}$	2833 $\frac{1}{3}$	3000	3166 $\frac{2}{3}$	3333 $\frac{1}{3}$	3500	3666 $\frac{2}{3}$	3833 $\frac{1}{3}$	4000
11	1650	1833 $\frac{1}{3}$	2016 $\frac{2}{3}$	2200	2383 $\frac{1}{3}$	2566 $\frac{2}{3}$	2750	2933 $\frac{1}{3}$	3116 $\frac{2}{3}$	3300	3483 $\frac{1}{3}$	3666 $\frac{2}{3}$	3850	4033 $\frac{1}{3}$	4216 $\frac{2}{3}$	4400
12	1800	2000	2200	2400	2600	2800	3000	3200	3400	3600	3800	4000	4200	4400	4600	4800
13	1950	2166 $\frac{2}{3}$	2383 $\frac{1}{3}$	2600	2816 $\frac{2}{3}$	3033 $\frac{1}{3}$	3250	3466 $\frac{2}{3}$	3683 $\frac{1}{3}$	3900	4116 $\frac{2}{3}$	4333 $\frac{1}{3}$	4550	4766 $\frac{2}{3}$	4983 $\frac{1}{3}$	5200
14	2100	2333 $\frac{1}{3}$	2566 $\frac{2}{3}$	2800	3033 $\frac{1}{3}$	3266 $\frac{2}{3}$	3500	3733 $\frac{1}{3}$	3966 $\frac{2}{3}$	4200	4433 $\frac{1}{3}$	4666 $\frac{2}{3}$	4900	5133 $\frac{1}{3}$	5366 $\frac{2}{3}$	5600
15	2250	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000	5250	5500	5750	6000

MESH


ILLUSTRATIONS




12 MESH



14 MESH



16 MESH



18 MESH



IGOE BROTHERS
POINIER ST & AVENUE A
NEWARK, N. J.
TEL. TERRACE 3-3450

WILBERT GARRISON CO.
PRINTERS . . . NEW YORK